



Electrical accessories for fountains

UNDERWATER FEED-THROUGHS



AISI304	PVC	IP68	
Brass	Brass		

- In AISI 304 stainless steel - nickel-plated brass - PVC
- Available in single and multiple versions
- More outlets available on request
- Small dimensions
- IP68 - leakproof - for permanent immersion

The IP68 underwater feed-throughs are designed for the underwater cables passage through tank walls or bottom and are IP68, leakproof and suitable for permanent immersion.

The single versions are available both in stainless steel, including the nickel-plated brass cable gland, stainless steel anchorage and the \varnothing 25 mm PVC sheath gland, and in PVC, including the nickel-plated brass cable gland on gluing cap \varnothing 32 mm. Spare rubber seal \varnothing 11 mm included in both versions.

The multiple versions, made of brass and PVC, are complete with nickel-plated brass cable glands and suitable for cables from 5 mm to 14 mm. 2 to 6 outputs available. More outlets upon request.

CODE	SINGLE IP68 FEED-THROUGH		MULTIPLE IP68 FEED-THROUGH			
	PASINOX	PASPVC	PAS2	PAS3	PAS4	PAS5
NO. OF OUTLETS	1	1	2	3	4	5
\varnothing SHEATH GLAND	25 mm	-	-	-	-	-
\varnothing CAP	-	32 mm	-	-	-	-
\varnothing SEAL	14 mm	14 mm	From 8 mm up to 14	From 8 mm up to 14 mm	From 8 mm up to 14 mm	From 8 mm up to 14 mm
\varnothing CONNECTION	-	-	63 mm	63 mm	63 mm	63 mm
MATERIAL	SS / Nickel-plated brass	PVC / Nickel-plated	PVC / Nickel-plated	PVC / Nickel-plated brass	PVC / Nickel-plated brass	PVC / Nickel-plated brass

